

Reg. No. : 

--	--	--	--	--	--	--	--	--	--	--	--

**Question Paper Code : 31264**

B.E./B.Tech. DEGREE EXAMINATIONS, APRIL/MAY 2019.

Third Semester

Civil Engineering

MA 2211 — TRANSFORMS AND PARTIAL DIFFERENTIAL EQUATIONS

(Common to all Branches)

(Regulation 2008)

Time : Three hours

Maximum : 100 marks

Answer ALL questions.

PART A — (10 × 2 = 20 marks)

1. Find the root mean square value of  $f(x) = x - x^2$  in the interval  $-1 < x < 1$ .
2. Obtain the complex form of Fourier series for the function

$$f(x) = \begin{cases} 0, & -\pi \leq x \leq 0 \\ 1, & 0 \leq x \leq \pi \end{cases}$$

3. Find the Fourier cosine transform of  $f(x) = 3e^{-2x} + 2e^{-3x}$ .
4. State the convolution theorem for Fourier transform.
5. Form the differential equation by eliminating the arbitrary function from  $z = f(x^2 - y^2)$ .
6. Find the complete solution of  $z = px + qy + p^2q^2$ .
7. Classify the PDE given by  $f_{xx} + 2f_{xy} + 4f_{yy} = 0$ .
8. Write all the possible solutions of the one dimensional heat equation  $\frac{\partial u}{\partial t} = \alpha^2 \frac{\partial^2 u}{\partial y^2}$ .
9. Find  $Z\left(\frac{a^n}{n!}\right)$ .
10. State the final value theorem of Z transform.

PART B — (5 × 16 = 80 marks)

11. (a) (i) Prove that for  $0 < x < \pi$

$$x(\pi - x) = \frac{8}{\pi} \left\{ \frac{\sin x}{1^3} + \frac{\sin 3x}{3^3} + \frac{\sin 5x}{5^3} + \dots \right\}. \text{ Using Parseval's identity,}$$

$$\text{show that } \sum_{n=1}^{\infty} \frac{1}{n^6} = \frac{\pi^6}{945}. \quad (8)$$

- (ii) Obtain the constant term and the coefficient of first sine and cosine term in the Fourier expansion of  $y = f(x)$  as given in the following table.

$x:$	0	1	2	3	4	5
$f(x):$	9	18	24	28	26	20

(8)

Or

- (b) Expand  $f(x) = \begin{cases} \sin x, & 0 \leq x \leq \pi \\ 0, & \pi \leq x \leq 2\pi \end{cases}$  as a Fourier series and hence evaluate

$$\frac{1}{1.3} + \frac{1}{3.5} + \frac{1}{5.7} + \dots \quad (16)$$

12. (a) (i) Find the Fourier transform of

$$f(x) = \begin{cases} 1 - x^2, & |x| < 1 \\ 0, & |x| > 1. \end{cases}$$

$$\text{Hence evaluate } \int_0^{\infty} \left( \frac{x \cos x - \sin x}{x^3} \right) \cos \frac{x}{2} dx. \quad (8)$$

- (ii) Using Parseval's identities, prove that

$$\int_0^{\infty} \frac{dt}{(a^2 + t^2)(b^2 + t^2)} = \frac{\pi}{2ab(a+b)}. \quad (8)$$

Or

- (b) (i) Find the Fourier cosine transform of

$$f(x) = \begin{cases} x, & 0 < x < 1 \\ 2 - x, & 1 < x < 2. \\ 0, & x > 2 \end{cases} \quad (8)$$

- (ii) Solve the integral equation

$$\int_0^{\infty} f(x) \sin tx \, dx = \begin{cases} 1, & 0 < t < 1 \\ 2, & 1 < t < 2. \\ 0, & t > 2 \end{cases} \quad (8)$$

13. (a) (i) Solve  $(mz - my)\frac{\partial z}{\partial x} + (nx - lz)\frac{\partial z}{\partial y} = ly - mx$ . (8)

(ii) Solve  $\frac{\partial^2 z}{\partial x^2} - \frac{\partial^2 z}{\partial x \partial y} = \cos x \cos 2y$ . (8)

Or

(b) (i) Find the complete solution of  $z^2(p^2 + q^2) = x^2 + y^2$ . (8)

(ii) Solve  $(D^3 - 7DD'^2 - 6D'^3)z = e^{2x+y}$ . (8)

14. (a) A tightly stretched string has its ends fixed at  $x=0$  and  $x=l$ . At time  $t=0$ , the string is given a shape defined by  $F(x) = \mu x(l-x)$  where  $\mu$  is a constant and then released. Find the displacement at any point  $x$  of the string at any time  $t > 0$ . (16)

Or

(b) A bar 10 cm long with insulated sides has its ends A and B maintained at temperatures  $50^\circ\text{C}$  and  $100^\circ\text{C}$  respectively until steady state prevails. The temperature at A is suddenly raised to  $90^\circ\text{C}$  and at the same time the temperature at B is lowered to  $60^\circ\text{C}$ . Find the temperature distribution of the bar at time  $t$ . (16)

15. (a) (i) If  $U(z) = \frac{2z^2 + 5z + 14}{(z-1)^4}$ , then evaluate  $u_2$  and  $u_3$ . (8)

(ii) Find  $Z^{-1}\left(\frac{z^2}{(z-a)(z-b)}\right)$  using convolution theorem. (8)

Or

(b) (i) Find the inverse Z transform of  $\frac{5z}{(2-z)(3z-1)}$  using partial fraction method. (8)

(ii) Solve  $y_{n+2} - 2y_{n+1} + y_n = 2^n$  with  $y_0 = 2$  and  $y_1 = 1$  using Z transform. (8)

