



Reg. No. :

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**Question Paper Code : 91783**

B.E./B.Tech. DEGREE EXAMINATIONS, NOVEMBER/DECEMBER 2019

Third Semester

Civil Engineering

MA 6351 – TRANSFORMS AND PARTIAL DIFFERENTIAL EQUATIONS

(Common to All Branches)

(Regulations 2013)

Time : Three Hours

Maximum : 100 Marks

Answer ALL questions.

PART – A

(10×2=20 Marks)

1. Form the partial differential equation by eliminating the arbitrary constants a and b from  $z = (x - a)^2 + (y - b)^2 + 1$ .
2. Find the complete integral of  $p + q = x + y$ .
3. State the Dirichlet's conditions for a function  $f(x)$  to be expanded as a Fourier series.
4. Expand  $f(x) = 1$ , in  $(0, \pi)$  as a half-range sine series.
5. Write all possible solutions of one dimensional heat equation  $\frac{\partial u}{\partial t} = \alpha^2 \frac{\partial^2 u}{\partial x^2}$ .
6. Using the method of separation of variables, solve  $\frac{\partial u}{\partial x} = 2 \frac{\partial u}{\partial t} + u$  where  $u(x, 0) = 6e^{-3x}$ .
7. If the Fourier transform of  $f(x)$  is  $\mathfrak{F}(f(x)) = F(s)$ , then show that  $\mathfrak{F}(f(x - a)) = e^{ias} F(s)$ .
8. Find the Fourier sine transform of  $1/x$ .
9. Find the Z – transform of  $\frac{1}{n+1}$ .
10. State the final value theorem of Z transforms.



## PART - B

(5×16=80 Marks)

11. a) i) Find the general solution of  $(z^2 - 2yz - y^2)p + (xy + zx)q = xy - zx$ . (8)

ii) Find the general solution of  $(D^2 + 2DD' + D'^2)z = x^2y + e^{x-y}$ . (8)

(OR)

b) i) Find the general solution of  $z = px + qy + p^2 + pq + q^2$ . (8)

ii) Find the general solution of  $(D^2 - 3DD' + 2D'^2 + 2D - 2D')z = \sin(2x + y)$ . (8)

12. a) i) Find the Fourier series expansion of the following periodic function

$$f(x) = \begin{cases} 2 + x & -2 \leq x \leq 0 \\ 2 - x & 0 < x \leq 2 \end{cases} \text{ of period } 4 \text{ Hence deduce that}$$

$$\frac{1}{1^2} + \frac{1}{3^2} + \frac{1}{5^2} + \dots = \frac{\pi^2}{8}. \quad (8)$$

ii) Find the complex form of Fourier series of  $f(x) = e^{ax}$  in the interval  $(-\pi, \pi)$

where  $a$  is a real constant. Hence, deduce that  $\sum_{n=-\infty}^{\infty} \frac{(-1)^n}{a^2 + n^2} = \frac{\pi}{a \sinh a\pi}$ . (8)

(OR)

b) i) Find the half range cosine series of  $f(x) = (\pi - x)^2$ ,  $0 < x < \pi$ . Hence find the sum of the series  $\frac{1}{1^4} + \frac{1}{2^4} + \frac{1}{3^4} + \dots$  (8)

ii) Determine the first two harmonics of Fourier series for the following data.

$x$	0	$\frac{\pi}{3}$	$\frac{2\pi}{3}$	$\pi$	$\frac{4\pi}{3}$	$\frac{5\pi}{3}$
$f(x)$	1.98	1.30	1.05	1.30	-0.88	-0.25

(8)

13. a) A tightly stretched string of length ' $l$ ' with fixed end points is initially at rest in its equilibrium position. If it is set vibrating by giving each point a velocity  $y_t(x, 0) = v_0 \sin\left(\frac{3\pi x}{l}\right) \cos\left(\frac{\pi x}{l}\right)$ , where  $0 < x < l$ . Find the displacement of the string at a point, at a distance  $x$  from one end at any instant ' $t$ '. (16)

(OR)

b) A square plate is bounded by the lines  $x = 0$ ,  $x = 20$ ,  $y = 0$ ,  $y = 20$ . Its faces are insulated. The temperature along the upper horizontal edge is given by  $u(x, 20) = x(20 - x)$ ,  $0 < x < 20$ , while the other three edges are kept at  $0^\circ\text{C}$ . Find the steady state temperature distribution  $u(x, y)$  in the plate. (16)



14. a) i) Find the Fourier Transform of  $f(x)$  if  $f(x) = \begin{cases} 1 - |x|, & |x| < 1 \\ 0, & |x| > 1 \end{cases}$  and hence evaluate the integral  $\int_0^{\infty} \left(\frac{\sin t}{t}\right)^4 dt$ . (10)

ii) State and prove convolution theorem for Fourier transforms. (6)  
(OR)

b) i) Evaluate  $\int_0^{\infty} \frac{dx}{(x^2 + a^2)(x^2 + b^2)}$  using transforms. (6)

ii) Find the Fourier cosine transform of  $f(x) = e^{-a^2x^2}$  and hence find  $F_s[xe^{-a^2x^2}]$ . (10)

15. a) i) Find  $Z(r^n \cos n\theta)$  and  $Z^{-1}[(1 - az^{-1})^{-2}]$ . (8)

ii) Using convolution theorem, find  $Z^{-1}\left[\frac{z^2}{(z - 1/2)(z - 1/4)}\right]$ . (8)

(OR)

b) i) Using Z-transform, solve the difference equation  $x(n + 2) - 3x(n + 1) + 2x(n) = 0$  given that  $x(0) = 0, x(1) = 1$ . (8)

ii) Using residue method, find  $Z^{-1}\left[\frac{z}{z^2 - 2z + 2}\right]$ . (8)

---

10. (a)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (b)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (c)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (d)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (e)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (f)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (g)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (h)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (i)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (j)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (k)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (l)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (m)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (n)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (o)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (p)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (q)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (r)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (s)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (t)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (u)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (v)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (w)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (x)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (y)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$   
 (z)  $\frac{1}{2} \ln \left| \frac{x+1}{x-1} \right| + C$